

## Reudcer (con. /ecc.)



### Reudcer (con. /ecc.)

Category **Pipe Fitting**  
(ANSI B16.9, JIS 2311 SGP, EN10)

#### Product Details:

Place of Origin: **CHINA**



Brand Name: **XINFENG**

Certification: **ISO, CE**

Standard: **ANSI B16.9 ANSI B16.28 DIN2605/ 2615/ 2616/ 2617 JIS B2311 GOST 17375/ 17376/ 17377/ 17378.**

Type: **45D/90D/180D ELBOW LR/SR, EQUAL TEE, REDUCING TEE, CONCENTRIC REDUCER, ECCENTRIC REDUCER, CAP, CROSS, SADDLE.**

Size: **1/2" - 48"**

Wall Thickness: **SCH10, SCH20, SCH30, STD, SCH40, SCH60, XS, SCH80, SCH100, SCH120, SCH140, SCH160, XXS, JIS, DIN**

Connect Type: **Butt Welded**

Surface Treatment: **Black paint, light oil, hot dip Galvanized.**

Material: **Carbon steel: ASTM A234 WPB / 20#/ P265GH/ST37.2; Stainless steel: 304/304L, 316/316L**

**Payment & Shipping Terms:**

Minimum Order Quantity: **1TONS**

Packaging Details: **PLYWOOD CASES AND PALLETS**


Payment Terms: **L/C, D/P, T/T**

Delivery Time: **10-45DAYS**

Supply Ability: **5000TONS/MONTH**

- [Product Inquiry](#)
- [Related Products](#)

### Technical Drawings



Standard drawing o

#### Leave Messages



The reducers are often used when the piping designers want to red

submit

styles of standard reducers available in: Concentric – having a com centerlines.

**Dimensions**

NPS	O.D L mm inch	O.D S mm inch	H mm inch
3/4 x 1/2	26.7 1.05	21.3 0.84	38 1.50
3/4 x 3/8	26.7 1.05	17.3 0.68	38 1.50
1 x 3/4	33.4 1.32	26.7 1.05	51 2.00
1 x 1/2	33.4 1.32	21.3 0.84	51 2.00
1-1/4 x 1	42.2 1.66	33.4 1.32	51 2.00
1-1/4 x 3/4	42.2 1.66	26.7 1.05	51 2.00
1-1/4 x 1/2	42.2 1.66	21.3 0.84	51 2.00
1-1/2 x 1-1/4	48.3 1.90	42.2 1.66	64 2.50
1-1/2 x 1	48.3 1.90	33.4 1.32	64 2.50
1-1/2 x 3/4	48.3 1.90	26.7 1.05	64 2.50

1-1/2 x 1/2	48.3	21.3	64
	1.90	0.84	2.50
2 x 1-1/2	60.3	48.3	76
	2.38	1.90	3.00
2 x 1-1/4	60.3	42.2	76
	2.38	1.66	3.00
2 x 1	60.3	33.4	76
	2.38	1.32	3.00
2 x 3/4	60.3	26.7	76
	2.38	1.05	3.00
2-1/2 x 2	73.0	60.3	89
	2.88	2.38	3.50
2-1/2 x 1-1/2	73.0	48.3	89
	2.88	1.90	3.50
2-1/2 x 1-1/4	73.0	42.2	89
	2.88	1.66	3.50
2-1/2 x 1	73.0	33.4	89
	2.88	1.32	3.50
3 x 2-1/2	88.9	73.0	89
	3.50	2.88	3.50
3 x 2	88.9	60.3	89
	3.50	2.38	3.50
3 x 1-1/2	88.9	48.3	89
	3.50	1.90	3.50
3 x 1-1/4	88.9	42.2	89
	3.50	1.66	3.50
	101.6	88.9	102

3-1/2 x 3	4.00	3.50	4.00
3-1/2 x 2-1/2	101.6	73.0	102
	4.00	2.88	4.00
3-1/2 x 2	101.6	60.3	102
	4.00	2.38	4.00
3-1/2 x 1-1/2	101.6	48.3	102
	4.00	1.90	4.00
3-1/2 x 1-1/4	101.6	42.2	102
	4.00	1.66	4.00
4 x 3-1/2	114.3	101.6	102
	4.50	4.00	4.00
4 x 3	114.3	88.9	102
	4.50	3.50	4.00
4 x 2-1/2	114.3	73.0	102
	4.50	2.88	4.00
4 x 2	114.3	60.3	102
	4.50	2.38	4.00
4 x 1-1/2	114.3	48.3	102
	4.50	1.90	4.00
5 x 4	141.3	114.3	127
	5.56	4.50	5.00
5 x 3-1/2	141.3	101.6	127
	5.56	4.00	5.00
5 x 3	141.3	88.9	127
	5.56	3.50	5.00
5 x 2-1/2	141.3	73.0	127
	5.56	2.88	5.00

5 x 2	141.3	60.3	127
	5.56	2.38	5.00
6 x 5	168.3	141.3	140
	6.62	5.56	5.50
6 x 4	168.3	114.3	140
	6.62	4.50	5.50

\*NPS: Nominal Pipe Size; O.D L: Outside Diameter at Bevel, large end; O.D S: Outside Diameter at Bevel, small end; H: Center-to-End.

### Package



Keyword:

### Product Inruiry