DIN Blind





DIN Blind

Category DIN Flange

Product Details:

Place of Origin:	**CHINA**
Brand Name:	**XINFENG**

Certification:	**ISO, CE**
Model Number:	**DIN PN06-PN100**
Pressure:	**PN06-PN100**
Material:	**CS RST37.2; S235JR; SS 304/304L, 316/316L**
Type:	**DIN2527**

Payment & Shipping Terms:

Minimum Order Quantity:	**2TONS**
Packaging Details:	**PLYWOOD CASES AND PALLETS**
Payment Terms:	**L/C, D/P, T/T**
Delivery Time:	**10-45DAYS**
Supply Ability:	**5000TONS/MONTH**

Product Inquiry


Related Products


DIN 6Bar

DIN 2573 Slip On Flange

DIN 2527 Blind Flange

DIN 2631 Welding Neck Flange





Leave Messages

Please enter your E-mail

submit


BORE			COMMON DIMENSION					HUB									
DN	d_1	d_5	D	b			k	h_1	d_3	s							
				Welding neck	Slip On	Blind											
15	20	21	80	12	12	12	55	30	28	2							
	21.3	22							30								
20	25	26	90	14	14	14	65	32	35	2.3							
	26.9	27.6							38								
25	30	31	100	14	14	14	75	35	40	2.6							
	33.7	34.4							42								
32	38	39	120	14	16	14	90	35	50	2.6							
	42.4	43.1							55								
40	44.5	45.5	130	14	16	14	100	38	58	2.6	6	7	80	3	4	14	1.39	1.18	
	48.3	49							62										
50	57	58.1	140	14	16	14	110	38	70	2.9	6	8	90	3	4	14	1.53	1.34	
	60.3	61.1							74										
65	76.1	77.1	160	14	16	14	130	38	88	2.9	6	9	110	3	4	14	1.89	1.67	2.48
80	88.9	90.3	190	16	18	16	150	42	102	3.2	8	10	128	3	4	18	2.98	2.71	3.49
100	108	109.6	210	16	18	16	170	45	122	3.6	8	10	148	3	4	18	3.46	3.24	4.86
	114.3	115.9							130										
125	133	134.8	240	18	20	18	200	48	148	4	8	10	178	3	8	18	4.6	4.49	6.28
	139.7	141.6							155										
150	159	161.1	265	18	20	18	225	48	172	4.5	10	12	202	3	8	18	5.22	5.15	7.75
	168.3	170.5							184										
200	219.1	221.8	320	20	22	20	280	55	236	5.9	10	15	258	3	8	18	7.15	7.78	12.7
250	267	270.2	375	22	24	22	335	60	282	6.3	12	15	312	3	12	18	9.61	10.8	19
	273	276.2							290										
300	323.9	327.6	440	22	24	22	395	62	342	7.1	12	15	365	4	12	22	12.6	14	26.3
350	355.6	359.7	490	22	26	22	445	62	385	7.1	12	15	415	4	12	22	15.6	16.7	32.9
	368	372.2																	
400	406.4	411	540	22	28	22	495	65	438	7.1	12	15	465	4	16	22	18.4	19	40.2
	419	423.7																	
500	508	513.6	645	24	30	24	600	68	538	7.1	12	15	570	4	20	22	24.6	28.6	63.2


DIN 10Bar

DIN 2576 Slip On Flange

DIN 2527 Blind Flange

DIN 2632 Welding Neck Flange






BORE			COMMON DIMENSION					HUB					RAISED FACE		DRILLING		Approx. Weight(kg)		
DN	d_1	d_5	D	b			k	h_1	d_3	s	r	h_2	d4	f	Number of Bolt	d_2	DIN 2576	DIN 2632	DIN 2527
				Welding neck	Slip On	Blind													
10	14	14.5	90	14	14	14	60	35	25	1.8	4	6	40	2	4	14	0.613	0.58	0.63
	17.2	17.7							28								0.605		
15	20	21	95	14	14	14	65	35	30	2	4	6	45	2	4	14	0.675	0.648	0.72
	21.3	22							32								0.669		
20	25	26	105	16	16	16	75	38	38	2.3	4	6	58	2	4	14	0.943	0.952	1.01
	26.9	27.6							40								0.936		
25	30	31	115	16	16	16	85	38	42	2.6	4	6	68	2	4	14	1.14	1.14	1.23
	33.7	34.4							45								1.11		
32	38	39	140	16	16	16	100	40	52	2.6	6	6	78	2	4	18	1.66	1.69	1.8
	42.4	43.1							56								1.62		
40	44.5	45.5	150	16	16	16	110	42	60	2.6	6	7	88	3	4	18	1.89	1.86	2.09
	48.3	49							64								1.86		
50	57	58.1	165	18	18	18	125	45	72	2.9	6	8	102	3	4	18	2.51	2.53	2.88
	60.3	61.1							75								2.47		
65	76.1	77.1	185	18	18	18	145	45	90	2.9	6	10	122	3	4	18	3	3.06	3.66
80	88.9	90.3	200	20	20	20	160	50	105	3.2	8	10	138	3	8	18	3.79	3.7	4.77
100	108	109.6	220	20	20	20	180	52	125	3.6	8	12	158	3	8	18	4.2	4.62	5.65
	114.3	115.9							131								4.03		
125	133	134.8	250	22	22	22	210	55	150	4	8	12	188	3	8	18	5.71	6.3	8.42
	139.7	141.6							156								5.46		
150	159	161.1	285	22	22	22	240	55	175	4.5	10	12	212	3	8	22	6.72	7.75	10.4
	168.3	170.5							184								6.57		
175	193.7	196.1	315	24	24	24	270	60	210	5.4	10	12	242	3	8	22	8.45	9.85	14
200	219.1	221.8	340	24	24	24	295	62	235	5.9	10	16	268	3	8	22	9.31	11.3	16.9
250	267	270.2	395	26	26	26	350	68	285	6.3	12	16	320	3	12	22	12.5	14.7	24.7
	273	276.2							292								11.9		
300	323.9	327.6	445	26	26	26	400	68	344	7.1	12	16	370	4	12	22	13.8	17.4	31.9
350	355.6	359.7	505	26	28	26	460	68	385	7.1	12	16	430	4	16	22	20.6	21.6	41.9
	368	372.2															19		
400	406.4	411	565	26	32	26	515	72	440	7.1	12	16	482	4	16	26	27.9	26.2	51.2
	419	423.7															25.9		
500	508	513.6	670	28	38	28	620	75	542	7.1	12	16	585	4	20	26	41.1	38.1	77.8
600	610	616.5	780	28	40		725	80	642	7.1	12	18	685	5	20	30	51.87	44.6	
700	711	716	895	30	40		840	80	745	8	12	18	800	5	24	30	65.79	62.4	
800	813	818	1015	32	44		950	90	850	8	12	18	905	5	24	33	90.87	84.1	
900	914	920	1115	34	48		1050	95	950	10	12	20	1005	5	28	33	108.41	98.5	
1000	1016	1022	1230	34	50		1160	95	1052	10	16	20	1110	5	28	36	133.21	115	
1200	1220	1226	1455	38	54		1380	115	1255	11	16	25	1330	5	32	39	188.2	182	
1400	1420	1426	1675	42	60		1590	120	1460	12	16	25	1535	5	36	42	262.14	248	
1600	1620	1626	1915	46	64		1820	130	1665	14	16	25	1760	5	40	48	367.43	347	
1800	1820	1826	2115	50	70		2020	140	1868	15	16	30	1960	5	44	48	447.79	430	
2000	2020	2026	2325	54	76		2230	150	2072	16	16	30	2170	5	48	48	577.77	539	
2200	2220	2226	2550	58	82		2440	160	2275	18	18	35	2370	6	52	56	699.88	658	
2400	2420	2426	2760	62	88		2650	170	2478	20	18	35	2570	6	56	56	844.49	825	
2600	2620	2626	2960	66	94		2850	180	2680	22	18	40	2780	6	60	56	972.23	979	
2800	2820	2826	3180	70	100		3070	190	2882	22	18	40	3000	6	64	56	1187.1	1156	
3000	3020	3026	3405	75	106		3290	200	3085	24	18	45	3210	6	68	62	1422.06	1420	


DIN 16Bar

DIN 2502 Slip On Flange

DIN 2527 Blind Flange

DIN 2633 Welding Neck Flange






BORE			COMMON DIMENSION					HUB					RAISED FACE		DRILLING		Approx. Weight(kg)		
DN	d_1	d_5	D	b			k	h_1	d_3	s	r	h_2	d_4	f	Number of Bolt	d_2	DIN 2502	DIN 2633	DIN 2527
				Welding neck	Slip On	Blind													
10	14	14.5	90	14	14	14	60	35	25	1.8	4	6	40	2	4	14	0.613	0.58	0.63
	17.2	17.7							28								0.605		
15	20	21	95	14	14	14	65	35	30	2	4	6	45	2	4	14	0.675	0.648	0.72
	21.3	22							32								0.669		
20	25	26	105	16	16	16	75	38	38	2.3	4	6	58	2	4	14	0.943	0.952	1.01
	26.9	27.6							40								0.936		
25	30	31	115	16	16	16	85	38	42	2.6	4	6	68	2	4	14	1.14	1.14	1.23
	33.7	34.4							45								1.11		
32	38	39	140	16	16	16	100	40	52	2.6	6	6	78	2	4	18	1.66	1.69	1.8
	42.4	43.1							56								1.62		
40	44.5	45.5	150	16	16	16	110	42	60	2.6	6	7	88	3	4	18	1.89	1.86	2.09
	48.3	49							64								1.86		
50	57	58.1	165	18	18	18	125	45	72	2.9	6	8	102	3	4	18	2.51	2.53	2.88
	60.3	61.1							75								2.47		
65	76.1	77.1	185	18	18	18	145	45	90	2.9	6	10	122	3	4	18	3	3.06	3.66
80	88.9	90.3	200	20	20	20	160	50	105	3.2	8	10	138	3	8	18	3.79	3.7	4.77
100	108	109.6	220	20	20	20	180	52	125	3.6	8	12	158	3	8	18	4.2	4.62	5.65
	114.3	115.9							131								4.03		
125	133	134.8	250	22	22	22	210	55	150	4	8	12	188	3	8	18	5.71	6.3	8.42
	139.7	141.6							156								5.46		
150	159	161.1	285	22	22	22	240	55	175	4.5	10	12	212	3	8	22	6.72	7.75	10.4
	168.3	170.5							184								6.57		
175	193.7	196.1	315	24	24	24	270	60	210	5.4	10	12	242	3	8	22	8.45	9.85	14
200	219.1	221.8	340	24	24	24	295	62	235	5.9	10	16	268	3	12	22	9.31	11	16.1
250	267	270.2	405	26	26	26	355	70	285	6.3	12	16	320	3	12	26	13.4	15.6	24.9
	273	276.2							292										
300	323.9	327.6	460	28	28	28	410	78	344	7.1	12	16	378	4	12	26	17.4	22	35.1
350	355.6	359.7	520	30	30	30	470	82	390	8	12	16	438	4	16	26	26.6	28.8	47.8
	368	372.2																	
400	406.4	411	580	32	32	32	525	85	445	8	12	16	490	4	16	30	30.9	36.3	63.5
	419	423.7																	
500	508	513.6	715	34	38	34	650	90	548	8	12	16	610	4	20	33	54	61	102
600	610	616.5	840	36	42	36	770	95	652	8.8	12	18	725	5	20	36	77.58	75.4	149.7
700	711	716	910	36	44	36	840	100	755	8.8	12	18	795	5	24	36	77.13	77	173.7
800	813	818	1025	38	50	38	950	105	855	10	12	20	900	5	24	39	106.35	101	235.5
900	914	920	1125	40	54	40	1050	110	955	10	12	20	1000	5	28	39	125.39	122	298.8
1000	1016	1022	1255	42	60	42	1170	120	1058	10	16	22	1115	5	28	42	177.99	162	390.7
1200	1220	1226	1485	48	68	48	1390	130	1262	12.5	16	30	1330	5	32	48	263.46	243	624.8
1400	1420	1426	1685	52	74	52	1590	145	1465	14.2	16	30	1530	5	36	48	329.77	323	872.6
1600	1620	1626	1930	58	82	58	1820	160	1668	16	16	35	1750	5	40	56	483.11	479	1275.1
1800	1820	1826	2130	62	88	62	2020	170	1870	17.5	16	35	1950	5	44	56	577.63	599	1661.9
2000	2020	2026	2345	66	94	66	2230	180	2072	20	16	40	2150	5	48	62	720.85	719	2142.1


DIN 25Bar

DIN 2503 Slip On Flange

DIN 2527 Blind Flange

DIN 2634 Welding Neck Flange






BORE			COMMON DIMENSION					HUB					RAISED FACE		DRILLING		Approx. Weight(kg)		
DN	d_1	d_5	D	b			k	h_1	d_3	s	r	h_2	d_4	f	Number of Bolt	d_2	DIN 2503	DIN 2634	DIN 2527
				Welding neck	Slip On	Blind													
10	14	14.5	90	16	16	16	60	35	25	1.8	4	6	40	2	4	14	0.7	0.661	
	17.2	17.7							28										
15	20	21	95	16	16	16	65	38	30	2	4	6	45	2	4	14	0.771	0.746	
	21.3	22							32										
20	25	26	105	18	18	18	75	40	38	2.3	4	6	58	2	4	14	1	1.06	
	26.9	27.6							40										
25	30	31	115	18	18	18	85	40	42	2.6	4	6	68	2	4	14	1.28	1.29	
	33.7	34.4							46										
32	38	39	140	18	18	18	100	42	52	2.6	6	6	78	2	4	18	1.87	1.88	
	42.4	43.1							56										
40	44.5	45.5	150	18	18	18	110	45	60	2.6	6	7	88	3	4	18	2.13	2.33	
	48.3	49							64										
50	57	58.1	165	20	20	20	125	48	72	2.9	6	8	102	3	4	18	2.79	2.82	
	60.3	61.1							75										
65	76.1	77.1	185	22	22	22	145	52	90	2.9	6	10	122	3	8	18	3.48	3.74	4.33
80	88.9	90.3	200	24	24	24	160	58	105	3.2	8	12	138	3	8	18	4.35	4.75	5.94
100	108	109.6	235	24	24	24	190	65	128	3.6	8	12	162	3	8	22	5.78	6.52	7.64
	114.3	115.9							134										
125	133	134.8	270	26	26	26	220	68	155	4	8	12	188	3	8	26	7.87	9.07	11
	139.7	141.6							162										
150	159	161.1	300	28	28	28	250	75	182	4.5	10	12	218	3	8	26	10.1	11.8	14.7
	168.3	170.5							192										
175	191	193	330	28	28	28	280	75	215	5.6	10	15	248	3	12	26	11	13.4	17.6
	193.7	196							218										
200	216	219	360	30	30	30	310	80	240	6.3	10	16	278	3	12	26	13.6	17	22.7
	219.1	221.8							244										
250	267	270	425	32	32	32	370	88	292	7.1	12	18	335	3	12	30	19.4	24.4	34.5
	273	276.2							298										
300	318	322	485	34	34	34	430	92	345	8	12	18	395	4	16	30	25	31.2	47.3
	323.9	327.6							352										
350	355.6	359.7	555	38	38	38	490	100	398	8	12	20	450	4	16	33	38.2	47.2	69.3
	368	372.2																44.2	
400	406.4	411	620	40	40	40	550	110	452	8.8	12	20	505	4	16	36	48.8	61.7	91.5
	419	423.7																57.9	
500	508	513.6	730	44	44	45	660	125	558	10	12	20	615	4	20	36	67.2	89.6	141
600	610	616.5	845	46	50		770	125	660	11	12	20	720	5	20	39	93.57	104	
700	711	716	960	46	52		875	125	760	12.5	12	20	820	5	24	42	117.53	136	
800	813	818	1085	50	56		990	135	865	14.2	12	22	930	5	24	48	156.31	186	
900	914	920	1185	54	62		1090	145	968	16	12	24	1030	5	28	48	188.57	236	
1000	1016	1022	1320	58	68		1210	155	1070	17.5	16	24	1140	5	28	56	255.97	307	


DIN 40Bar

DIN 2503 Slip On Flange

DIN 2527 Blind Flange

DIN 2635 Welding Neck Flange





BORE			COMMON DIMENSION					HUB					RAISED FACE		DRILLING		Approx. Weight(kg)		
DN	d_1	d_5	D	b			k	h_1	d_3	s	r	h_2	d_4	f	Number of Bolt	d_2	DIN 2503	DIN 2635	DIN 2527
				Welding neck	Slip On	Blind													
15	20	21	95	16	16	16	65	38	30	2	4	6	45	2	4	14	0.771	0.746	
	21.3	22							32										
20	25	26	105	18	18	18	75	40	38	2.3	4	6	58	2	4	14	1	1.06	
	26.9	27.6							40										
25	30	31	115	18	18	18	85	40	42	2.6	4	6	68	2	4	14	1.28	1.29	
	33.7	34.4							46										
32	38	39	140	18	18	18	100	42	52	2.6	6	6	78	2	4	18	1.87	1.88	
	42.4	43.1							56										
40	44.5	45.5	150	18	18	18	110	45	60	2.6	6	7	88	3	4	18	2.13	2.33	
	48.3	49							64										
50	57	58.1	165	20	20	20	125	48	72	2.9	6	8	102	3	4	18	2.79	2.82	
	60.3	61.1							75										
65	76.1	77.1	185	22	22	22	145	52	90	2.9	6	10	122	3	8	18	3.48	3.74	4.33
80	88.9	90.3	200	24	24	24	160	58	105	3.2	8	12	138	3	8	18	4.35	4.75	5.94
100	108	109.6	235	24	24	24	190	65	128	3.6	8	12	162	3	8	22	5.78	6.52	7.64
	114.3	115.9							134										
125	133	134.8	270	26	26	26	220	68	155	4	8	12	188	3	8	26	7.87	9.07	11
	139.7	141.6							162										
150	159	161.1	300	28	28	28	250	75	182	4.5	10	12	218	3	8	26	10.1	11.8	14.7
	168.3	170.5							192										
200	219.1	221.8	375	34	34	34	320	88	244	6.3	10	16	285	3	12	30	17.4	21.5	27.6
250	267	270.2	450	38	38	38	385	105	298	7.1	12	18	345	3	12	33	27.6	34.9	44.5
	273	276.2							306										
300	323.9	327.6	515	42	42	42	450	115	362	8	12	18	410	4	16	33	37.8	49.7	64.3
350	355.6	359.7	580	46	46	46	510	125	408	8.8	12	20	465	4	16	36	53.4	68.1	90.8
	368	372.2																	
400	406.4	411	660	50	50	50	585	135	462	11	12	20	535	4	16	39	75.4	96.5	129
	419	423.7																	
500	508	513.6	755	52	52	56	670	140	562	14.2	12	20	615	4	20	42	88.3	117	175

Package